

Please amend the present application as follows:

Claims

The following is a copy of Applicants' claims that identifies language being added with underlining ("___") and language being deleted with strikethrough ("___"), as is applicable:

1. (Currently Amended) A flexible tap apparatus member comprising:
a shaft having a first passage disposed axially therein, a second
passage communicating with and extending outwardly from said
first passage to an outer surface of said shaft, a flexible upper shaft
portion, and a flexible lower shaft portion;
said upper shaft portion comprising external threads ~~edges~~ and said lower
shaft portion having a substantially smooth surface; and
a dye;
wherein said flexible tap apparatus member is arranged and configured
such that after insertion into a living body, said upper shaft portion is anchored in
a tissue of the living body with the external threads; and
wherein said first passage and said second passage are sized and
shaped to communicate said dye to the tissue into which the upper shaft portion
is anchored.

2. (Original) The flexible tap apparatus member of claim 1, further comprising:

a tip terminating said upper shaft portion.

3. (Previously Presented) The flexible tap apparatus member of claim 1, further comprising:

a guide pin for being removably disposed in the tissue to align said flexible tap apparatus member; and

wherein the guide pin is removably engaged through said first passage.

4. (Previously Presented) The flexible tap apparatus member of claim 3, wherein said first passage extends a portion of the length of the shaft.

5. (Canceled)

6. (Original) The flexible tap apparatus member of claim 1, further comprising

a handle arranged and configured to releasably receive said lower shaft portion.

7. (Previously Presented) A flexible tap apparatus system comprising:
- a first flexible tap apparatus member, comprising:
 - a shaft having a first passage disposed axially therein, a lateral passage communicating with and extending laterally from said first passage to an outer surface of said shaft, a flexible upper shaft portion, and a flexible lower shaft portion;
 - said upper shaft portion comprising ridges and said lower shaft portion having a substantially smooth surface; and
 - a dye;
 - wherein said flexible tap apparatus member is arranged and configured such that after insertion into a living body, said upper shaft portion is anchored in a tissue; and
 - wherein said first passage and said lateral passage are sized and shaped to communicate said dye to the tissue into which the upper shaft portion is anchored;
 - wherein said shaft of said first flexible tap apparatus member comprises a first set of dimensions; and
 - a second flexible tap apparatus member, comprising:
 - a second shaft having a second passage disposed axially therein, a second lateral passage communicating with and extending laterally from said first passage to an outer surface of said shaft, a flexible upper shaft portion, and a flexible lower shaft portion;

said upper shaft portion comprising ridges and said lower shaft portion

having a substantially smooth surface; and

a dye;

wherein said flexible tap apparatus member is arranged and configured such that after insertion into a living body, said upper shaft portion is anchored in a tissue; and

wherein said first passage and said second passage are sized and shaped to communicate said dye to the tissue into which the upper shaft portion is anchored;

wherein said shaft of said second flexible tap apparatus member comprises a second set of dimensions;

wherein said first set of dimensions differs from said second set of dimensions, and wherein at least one of said flexible tap apparatus members is arranged and configured such that after insertion into a living body, said upper shaft portion of said flexible tap apparatus member is anchored in the tissue.

8. (Original) The flexible tap apparatus system of claim 7, further comprising:

a handle arranged and configured to interchangeably receive said first flexible tap apparatus member and said second flexible tap apparatus member.

9. (Canceled)

10. (Previously Presented) The flexible tap apparatus system of claim 7, wherein said first passage extends a portion of the length of said shaft.

11. (Previously Presented) The flexible tap apparatus system of claim 7, wherein at least one of said first flexible tap apparatus member and said second flexible tap apparatus member comprises:

a first passage disposed axially therein said shaft; and

a lateral passage disposed in said shaft extending from said first passage.

12. (Currently Amended) A method of creating a passage in tissue

comprising:

providing a flexible tap apparatus system comprising:

a flexible tap apparatus member, comprising:

a shaft having a first passage disposed axially therein, a lateral
passage extending laterally from said first passage to an outer
surface of said shaft, a flexible upper shaft portion, and a flexible
lower shaft portion;

said upper shaft portion comprising ridges and said lower shaft portion
having a substantially smooth surface; and

a dye;

engaging said flexible tap apparatus member into the tissue; and

communicating said dye to the tissue through said first passage and said

lateral passage;

disposing a guide pin into the tissue;

engaging said first flexible tap apparatus member with said guide pin;

boring a passage in the tissue with said first flexible tap apparatus

member;

removing said first flexible tap apparatus member;

engaging said second flexible tap apparatus member with said guide pin;

and

boring into said passage in the tissue with said second flexible tap
apparatus member.

13. (Canceled)

14. (Previously Presented) The flexible tap apparatus member of claim 1, further comprising:

 a handle comprising a passage arranged and configured to align with said first passage, said first passage being operative to allow said dye to be introduced into said tissue.

15. (Previously Presented) The flexible tap apparatus system of claim 7, further comprising:

 a handle comprising a passage arranged and configured to align with said first passage, said first passage being operative to allow said dye to be introduced into said tissue.